

Press Release

Patek Philippe, Geneva Baselworld 2016

Patek Philippe at Baselworld 2016 The manufacture enriches its regular collection with seductive continuity

As a first big surprise at Baselworld 2016, Patek Philippe is presenting a new model in the regular collection that pairs two highly popular complications in one watch. The second première is a new model that celebrates the 20th anniversary of a genuine bestseller. The third debut graces feminine wrists, the fourth is a grand classic that was subtly reworked, and number five once again demonstrates that no complication is too challenging for Patek Philippe.


Aficionados, collectors, and connoisseurs of mechanical timepieces will be awed when the see the new Patek Philippe World Time Chronograph Ref. 5930. It combines the Genevan manufacture's patented World Time mechanism with a proprietary self-winding chronograph movement that comes in a round white-gold case and a dial with a blue, manually guilloched center.

The second debut is the Annual Calendar Ref. 5396 that very tastefully recalls the 20th anniversary of the patented Annual Calendar (its successful career began in Basel in 1996 with the Ref. 5035 that a few months later was voted Watch of the Year). Since then, the Annual Calendar has been crafted in 21 versions including ladies' diamond-set models with mother-of-pearl dials, not to mention the numerous variations in platinum, yellow gold, white gold, and rose gold with eclectic dial designs. The new Ref. 5396 is model No. 22.

Speaking of ladies: Patek Philippe is presenting the Calatrava "Timeless White" Ref. 7122 for the woman's wrist. With the timeless beauty of the bright white dial, innovative gemsetting artistry featuring white flawless diamonds, and a refined case design, it is compellingly seductive.

The new World Time watch Ref. 5230 supersedes all previous models of its lineage because politically motivated modifications of the World Time order called for a new time-zone scale. Patek Philippe took this as an opportunity to subtly rework the dial and case of the new Ref. 5230.

And not least, Patek Philippe has announced a changing of the guard at the top of its ranking for the most complicated regularly produced wristwatches. The new Number 1 is the Grandmaster Chime Ref. 6300 with a novel and distinctive exterior. Featuring 20 complications, among them 5 strikework functions, it redefines the benchmark. Its hand-guilloched white-gold case clearly distinguishes it from the totally hand-engraved Grandmaster Chime Ref. 5175 that was crafted in a limited 7-watch commemorative edition.





Technical data

Ref. 5930 World Time Chronograph

Movement: Caliber CH 28-520 HU

Self-winding mechanical movement, column-wheel chronograph, vertical

clutch, local time, display of 24 time zones, day/night indication

Diameter: Overall: 33.00 mm

Basic caliber: 30.00 mm

Time-zone module: 33.00 mm

Height: Overall: 7.91 mm

Basic caliber: 4.9 mm

Time-zone module: 3.01 mm

Number of parts: 343 Number of jewels: 38

Power reserve: Min. 50, max. 55 hours

Centrifugal mass: Central rotor in 21K gold, unidirectional winding

Balance: Gyromax®

Frequency: 28,800 semi-oscillations per hour (4 Hz)

Balance spring: Spiromax® Balance spring stud: Adjustable

Functions: Two-position crown:

Pulled out: To set the timePushed in: To wind the watch

Displays: With hands:

Local time in hours and minutesChronograph hand (trotteuse)30-minute chronograph counter

With disks:

• City disk with 24 place names

• 24-hour ring with day/night indication in colors and sun/moon symbols

Pushers: Chronograph start and stop at 2 o'clock

Chronograph reset and flyback at 4 o'clock

Time zone adjustment at 10 o'clock (synchronized adjustment of displays in one-hour steps for the hour hand and 1/24th counterclockwise increments

for the city disk and the 24-hour ring)

Hallmark: Patek Philippe Seal



Features

Case: 18K white gold

Sapphire-crystal case back

Water resistant to 30 meters (3 bar)

Case dimensions: Diameter: 39.50 mm

Length (across lugs): 48.23 mm

Width (3 to 9 o'clock incl. crown): 42.85 mm Thickness (crystal to display back): 12.86 mm

Width between lugs: 21 mm

Dial: 3-zone dial:

· City disk blue, names printed white

• 24-hour ring with day/night indication in color and sun/moon symbols (day: blue numerals on silvery background; night: white numerals on blue

background)

Center navy blue, hand-guilloched

Applied baton hour markers in 18K white gold

• Hands:

Hours and minutes: Dauphine hands in 18K white gold, 3 facets,

Superluminova coating

Parfil chronograph hand in rhodiumed steel

30-minute counter hand, baton style, counterbalanced, rhodiumed steel

Strap: Hand-stitched alligator with large square scales. Matt navy blue with fold-

over clasp in 18K white gold

Technical data

Patek Philippe Annual Calendar Ref. 5396

Movement Caliber 324 S QA LU 24H

Self-winding mechanical movement, Annual Calendar, 24-hour subdial,

moon phases, sweep seconds

Diameter: 33.3 mm (basic caliber 26 mm, Annual Calendar module 33.3 mm)

Height: 5.78 mm (basic caliber 3.3 mm, Annual Calendar 2.48 mm)

Number of parts: 347 Number of jewels: 34

Power reserve: Min. 35 hours, max. 45 hours

Winding rotor: Central rotor in 21K gold, unidirectional winding

Balance: Gyromax[®]

Frequency: 28,800 semi-oscillations per hour (4 Hz)

Balance spring: Spiromax[®]
Balance spring stud: Adjustable



Functions: Two-position crown:

– Pushed in: To wind the watch– Pulled out: To set the time

Displays: With hands:

· Legal time in hours, minutes, seconds

• 24 hours

In apertures:
• Day, month, date
• Moon phases

Correction push pieces: Date at 4 o'clock

Day at 10 o'clock Month at 2 o'clock Moon phase at 8 o'clock

Hallmark: Patek Philippe Seal

Features Ref. 5396R (18K rose gold 5N)

Case: 18K rose gold 5N, sapphire-crystal display back, water-resistant crown

Water-resistant to 30 meters

Case dimensions: Diameter: 38.5 mm

Length (lug to lug): 46.8 mm

Width (3 to 9 o'clock incl. crown): 40.45 mm Thickness (crystal to display back): 11.2 mm

Width between lugs: 21 mm

Dial: Brass silvery white opaline

Applied Breguet numerals in 18K rose gold 5N

Minute markers 18K rose gold 5N

Hours and minutes: Dauphine hands in 18K rose gold 5N, polished

Seconds: Pfinodal rose-gold-plated 5N

24 hours: Leaf-shaped hands in 18K rose gold 5N

Strap: Alligator with large square scales, shiny chocolate brown, hand-

stitched, Calatrava fold-over clasp in 18K rose gold 5N

Features Ref. 5396G (18K white gold)

Case: 18K white gold, sapphire-crystal display back, water-resistant crown

Water-resistant to 30 meters

Case dimensions: Diameter: 38.5 mm

Length (lug to lug): 46.8 mm

Width (3 to 9 o'clock incl. crown): 40.45 mm



Thickness (crystal to display back): 11.2 mm

Width between lugs: 21 mm

Dial: Brass, galvanic gray sunburst

Applied Breguet numerals in 18K white gold

Minute markers in 18K white gold

Hours and minutes: Dauphine hands in 18K white gold, polished

Seconds: Pfinodal white-gold plated 24 hours: Leaf-shaped hand in white gold

Strap: Alligator with large square scales, matt black, hand-stitched, Calatrava fold-

over clasp in 18K white gold

Technical data

Patek Philippe Ladies' Calatrava Ref. 7122

Movement Caliber 215 PS, manually wound

Diameter: 21.9 mm
Height: 2.55 mm
Number of parts: 130
Number of jewels: 18

Power reserve: Min. 44 hours Balance: Gyromax[®]

Frequency: 28,800 semi-oscillations per hour (4 Hz)

Balance spring: Spiromax® Adjustable

Functions: 2-position crown

Pushed in: To wind the watchPulled out: To set the time

Displays: • Hour hand

Minute handSeconds hand

Hallmark: Patek Philippe Seal

Features

Case: 18K rhodiumed white gold (Ref. 7122/200G)

or

18K rose gold 4N (Ref. 7122/200R)

Sapphire-crystal case back Water resistant to 30 m (3 bar)



Case dimensions: Diameter: 33 mm

Diameter (3 to 9 o'clock incl. crown): 34.88 mm

Length across lugs: 39.6 mm

Thickness (crystal to display back): 7.19 mm

Dial: White lacquered and polished

Applied hour markers with hobnail pattern in 18K gold to match the case Leaf-shaped hour and minute hands in 18K gold to match the case

Subsidiary seconds at 6 o'clock with leaf-shaped hands in 18K gold to match

the case

Strap: Alligator strap with square scales, hand-stitched, nacre white, 14-mm prong

buckle in 18K gold to match the case

Technical data

Ref. 5230 World Time watch

Movement: Caliber 240 HU

Self-winding mechanical movement, display of 24 time zones, day/night

indication

Diameter: 27.50 mm
Height: 3.88 mm
Number of parts: 239
Number of jewels: 33

Power reserve: Min. 48 hours

Centrifugal mass: 22K gold minirotor, unidirectionally winding

Balance: Gyromax®

Frequency: 21,600 semi-oscillations per hour (3 Hz)

Balance spring: Spiromax® Adjustable

Functions: Two-position crown:

Pulled out: To set the timePushed in: To wind the watch

Local time selector: Pusher at 10 o'clock

Synchronized adjustment of displays in one-hour steps for the hour hand and 1/24th counterclockwise increments for the city disk and the 24-hour

ring

Displays: Local time in hours and minutes

City disk with 24 place names

24-hour ring with day/night indication in colors and sun/moon symbols

Hallmark: Patek Philippe Seal



Features

Case: 18K white or rose gold 5N

Sapphire-crystal case back

Water resistant to 30 meters (3 bar)

Case dimensions: Diameter: 38.50 mm

Length (across lugs): 46.91 mm

Width (9 to 3 o'clock incl. crown): 41.45 mm Thickness (crystal to display back): 10.23 mm

Width between lugs: 20 mm

Dial: 3-zone dial:

City disk printed black

• 24-hour ring with day/night indication in color and sun/moon symbols (day: black numerals on silvery background; night: white numerals on black

background)

Center hand-guilloched with basket weave pattern

Hour hand with "Southern Cross" constellation motif, pierced, lapped flanks,

in 18K white or rose gold 5N

Lozenge-shaped minute hand with lapped flanks, in 18K white or rose gold

5N

Applied baton hour markers in 18K white or rose gold 5N

Strap: Hand-stitched alligator with large square scales. Shiny black with Calatrava

fold-over clasp in 18K white gold for the white-gold model Shiny chocolate brown with Calatrava fold-over clasp in 18K rose gold 5N for the rose-gold

model

Technical data

Patek Philippe Grandmaster Chime Ref. 6300

Movement Caliber GS AL 36-750 QIS FUS IRM

Manually wound mechanical movement, 20 complications, chiming mechanism with 3 gongs and 5 different time strikes (Grande and Petite sonnerie, minute repeater, alarm with time strike, date repeater); second time zone with day/night indicator; instantaneous perpetual calendar (date on both sides, day of week, month, leap-year cycle, four-digit year display, 24-hour and minute subdial, moon phases, strikework mode display, strikework isolator display, alarm ON/OFF, crown position indicator, and

power reserve indicators for the movement and the strikework

Diameter: 37 mm
Height: 10.7 mm
Number of parts: 1366
Number of jewels: 108
Number of bridges: 32



Movement power

reserve: Min. 72 hours

Strikework power

reserve: 30 hours Balance: Gyromax[®]

Frequency: 25,200 semi-oscillations per hour (3.5 Hz)

Balance spring: Spiromax[®]

Functions: 3-position crown

· Pushed home To wind the movement clockwise; to wind the strikework

counterclockwise

Pulled halfway out: To set the alarm timePulled all the way out: To set the time

Strikework mode selector at 9 o'clock

Time dial displays: Local time in hours and minutes, hours in a second time zone, alarm time,

analog perpetual date, moon phases, strikework power-reserve indicator, movement power-reserve indicator, strikework mode display, crown position indicator, strikework isolator display (chimes enabled/disabled), alarm

ON/OFF

Calendar dial displays: 24-hour and minute subdial, four-digit year display, three calendar subdials

with analog indications for the day, month, date, and leap-year cycle

Pushers: Pushers for the second time zone ("+" and "-"), alarm, minute repeater

Correction push pieces: Year display ("+" and "-"), date, month, day, moon phases

Hallmark: Patek Philippe Seal

Features

Case: Round, with patented reversing mechanism on the axis from 12 to 6 o'clock,

18K white gold, 214 parts, sapphire crystals on both sides, protected against

dust and moisture, not water-resistant

Caseband with hand-guilloched hobnail pattern

Manually engraved function lettering and symbols on the caseband and pushers

Case dimensions: Diameter (10 to 4 o'clock): 47.4 mm

Thickness (crystal to crystal): 16.1 mm

Time side dial: 18K gold, ebony black opaline, center with hand-guilloched hobnail pattern,

applied Breguet numerals in 18K white gold

Local time hour and minute hands in 18K white gold, hour hand for second

time zone in 18K white gold

Hands for alarm time, movement and strikework power-reserve indicators,

strikework mode and crown position in 18K white gold



Calendar side dial: 18K gold, white opaline, center with polished gold frame for the four-digit

year display

Subsidiary dials for the 24-hour display, day, month, date, and leap-year

cycle with black printed scales and black nickel-plated steel hands

Strap: Alligator leather with large square scales, shiny black, hand-stitched white

contrast seams, fold-over clasp in 18K white gold

Patek Philippe Grandmaster Chime Ref. 6300 The 20 complications

1 Grande Sonnerie

- 2 Petite Sonnerie
- 3 Minute repeater
- 3 Williute repeater
- 4 Strikework mode display (Silence/Grand Sonnerie/Petite Sonnerie)
- 5 Alarm with time strike
- 6 Date repeater
- 7 Movement power-reserve indicator
- 8 Strikework power-reserve indicator
- 9 Strikework isolator display
- 10 Second time zone
- 11 Second time zone day/night indicator
- 12 Instantaneous perpetual calendar
- 13 Day-of-week display
- 14 Month display
- 15 Date display (on both dials)
- 16 Leap year cycle
- 17 Four-digit year display
- 18 24-hour and minute subdial
- 19 Moon phase
- 20 Crown position indicator (RAH)

